Email: sales@acculube.com



#### **Product Data**

# Performance Biolubes BioForm Heavy Draw

Heavy Duty Bio-Based Drawing Fluid

### **Description**

Castrol *Performance Biolubes* BioForm Heavy Draw is a heavy duty, multipurpose, bio-based drawing, forming and blanking fluid. Heavy Draw has a viscosity of 180 cSt at 40° C and is formulated with plant-based oils and select extreme pressure additives for superior protection and performance.

## **Applications**

- Recommended for stamping, drawing, forming, blanking and spinning.
- Good for most metal types.
- Applies by brushing, dipping, spraying or other method.

## **Advantages**

- Superior lubricity and extreme pressure characteristics.
- · Good adhesion to metal.
- Contains no harmful chlorine, nitrites or phenols.
- Provides excellent rust and corrosion protection.
- Easy to remove with alkaline cleaners
- Extends die life by creating a barrier between workpiece and die.
- · Made from sustainable North America-grown plant-based oils.

Castrol Performance Biolubes Bio Form Heavy Draw 17 May 2012

Castrol and the Castrol logo are trademarks of Castrol Limited, used under license.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.